



Opera Group srl

Uffici e Sala Mostra

41053 Maranello -loc.Bell'Italia (Mo)- Via Martinella,74 – ITALY

Tel centralino +39 0536.934811 – Fax +39 0536.934819

E-mail info@ceramicaopera.it

Sito Web www.ceramicaopera.it

Stabilimento

41100 Camposanto (Mo) – Polo industriale S.felice s/Panaro – Via Ponte Bianco,22

DECLARATION OF PERFORMANCE N. 01OPR

(UK) - Rev. N.4

- 1) Unique identification code of the product-type;
Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
Dry-pressed ceramic tiles, with water absorption $E_b \leq 0,5\%$, for internal and external walls and floorings
- 2) Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer: **internal and external walls and floorings**
- 3) Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5): **OPERA Group s.r.l., Via Martinella,74 – 41053 Maranello – Loc. Bell'Italia (MO) - Italia**
- 4) Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2): not applicable
- 5) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V: **System 4**
- 6) In case of the declaration of performance concerning a construction product covered by a harmonized standard: Name and number of notified body: not applicable
- 7) Declared performance

Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	Class A1FL/A1	EN 14411:2012 CE
Breaking strength	Thickness < 7,5 mm Breaking strength ≥ 700 N Thickness $\geq 7,5$ mm Breaking strength ≥ 1300 N	
Slipperiness	See table attached	
Tactility	NPD	
Bond strength/adhesion	NPD	
Durability, for: - Internal use - External use: Freeze/thaw resistance	Pass Pass	
Resistance to thermal shock	Pass	
Release of dangerous substances, for: Release of lead Release of cadmium	NPD NPD	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Maranello, 06/05/2021

Chief Executive Officer- CEO

Edmondo Gagliardelli



Via Martinella, 74 - 41053 Maranello (MO)

C.F./P.IVA 02860070362

Tel. ++39 0536 934811 Fax ++39 0536 934820

Cod.Fisc./ P.IVA 02860070362 - Cap.Soc. € 759.000,00 i.v. R.E.A. 337347/MO - Reg. Impr. MO n.02860070362



Opera Group srl

Uffici e Sala Mostra

41053 Maranello -loc.Bell'Italia (Mo)- Via Martinella,74 – ITALY

Tel centralino +39 0536.934811 – Fax +39 0536.934819

E-mail info@ceramicaopera.it

Sito Web www.ceramicaopera.it

Stabilimento

41100 Camposanto (Mo) – Polo industriale S.felice s/Panaro – Via Ponte Bianco,22

Allegato a 01OPR - Tabella Scivolosità, ove richiesta dalla legislazione nazionale.

Attachment to 01OPR- Slipperiness table, when required by National regulation.

Anlage zu 01OPR- Tabelle Rutschhemmung, sofern dies nach nationalem Recht erforderlich ist.

Anexo a 01OPR - Tabla de deslizamiento, cuando así lo exija la legislación nacional.

Serie/ Collection	Superficie, Articolo, se da specificare Surface/ Article, if it necessary to specify/Oberfläche/Artikel, falls anzugeben / Superficie / Artículo, si se especifica	Formato(cm) Size (cm) Format (cm)	Valore di prestazione dichiarato/Essential characteristics Harmonisierte technische Spezifikation/ Especificaciones tecnica armonizadas		
			BCRA D,M, 236/1989 (IT)	DIN 51130 ASR A 1,5 (DE)	BS7976 Pendulum PTV (4S)
Acient	Naturale	60x60	NPD	NPD	NPD
Acient Grip	Grip	60x60	U ≥ 0,40	NPD	NPD
Archi	Naturale	30x60/60x60/60x120	NPD	NPD	NPD
Atena	Naturale	30x60/60x60/90x90	NPD	R10	NPD
Atena Grip	Grip	30x60/60x60	U ≥ 0,40	R11	NPD
Dorato Nuvolato	Naturale	30x60	NPD	NPD	NPD
Edge	Naturale	60x60	NPD	NPD	NPD
Edge Grip	Grip	60x60	U ≥ 0,40	NPD	NPD
Frammenti	Naturale	45x45/30x60/60x60	NPD	R9	NPD
Frammenti Grip	Grip	45x45 (sabbia-beige-tortora)	U ≥ 0,40	R11	NPD
Galaxy	Naturale	30x60/60x60/20x120/60x120	NPD	NPD	NPD
Gneiss	Naturale	30x60/60x60/60x120	NPD	NPD	NPD
Gran Sasso	Naturale	30x60	NPD	NPD	NPD
Loft	Naturale	30x60/60x60	NPD	NPD	NPD
Minimal	Naturale	45x45/30x60/60x60	NPD	NPD	NPD
Mystone	Naturale	30x60/60x60	NPD	NPD	NPD
Piccadilly	Naturale	45x45/30x60/60x60/60x120	NPD	R9	NPD
Rinascimento	Naturale	45x45/30x60/60x60	NPD	NPD	NPD
Riverstone	Naturale	30x60/60x60	NPD	R9	NPD
Riverstone Grip	Grip	30x60/60x60 (White-Beige)	U ≥ 0,40	R11	NPD
Sassonia	Naturale	30x60	NPD	NPD	NPD
Legno Pietra	Naturale	15x60	NPD	NPD	NPD
Legno Timber	Naturale	15x60/30x60	NPD	NPD	NPD
Legno woodwork	Naturale	15x60	NPD	NPD	NPD
Life	Naturale	15x60	NPD	NPD	NPD
Rovere	Naturale	15x60	NPD	NPD	NPD



Opera Group srl

Uffici e Sala Mostra

41053 Maranello -loc.Bell'Italia (Mo)- Via Martinella,74 – ITALY

Tel centralino +39 0536.934811 – Fax +39 0536.934819

E-mail info@ceramicaopera.it

Sito Web www.ceramicaopera.it

Stabilimento

41100 Camposanto (Mo) – Polo industriale S.felice s/Panaro – Via Ponte Bianco,22

Saloon	Naturale	30x60	NPD	NPD	NPD
Sherwood	Naturale	30x60	NPD	NPD	NPD
Ecology	Naturale	15x90	NPD	R9	NPD
Ecology Grip	Grip	15x90	U ≥ 0,40	R11	NPD
Natural	Naturale	15x90	NPD	R9	NPD
Natural Grip	Grip	15x90	U ≥ 0,40	R11	NPD
Plank	Naturale	15x90	NPD	NPD	NPD
Sbiancato	Naturale	15x90	NPD	R9	NPD
Sbiancato Grip	Grip	15x90	U ≥ 0,40	R11	NPD
Sequoia	Naturale	15x90	NPD	NPD	NPD
Tudor	Naturale	15x90	NPD	NPD	NPD
Axe	Naturale	20x120	NPD	R9	NPD
Axe Grip	Grip	20x120	U ≥ 0,40	R11	NPD
Durmast	Naturale	20x120	NPD	NPD	NPD
Forest	Naturale	20x120	NPD	NPD	NPD
Neo Wood	Naturale	20x120	NPD	NPD	NPD
Original Bark	Naturale	20x120	NPD	NPD	NPD
Street	Naturale	20x120	NPD	NPD	NPD
Vintage	Naturale	20x120	NPD	NPD	NPD
Cashemire	Naturale	15x15/60x60	NPD	NPD	NPD
Concreate	Naturale	45x45	NPD	NPD	NPD
Living	Naturale	33.5x33.5/45x45	NPD	NPD	NPD
Marmi	Naturale	33.5x33.5/45x45	NPD	NPD	NPD
Marmore	Naturale	30x60/60x60	NPD	NPD	NPD
Moderna	Naturale	33.5x33.5	NPD	NPD	NPD
Naxos	Naturale	33.5x33.5	NPD	NPD	NPD
Olympia	Naturale	45x45	NPD	R10	NPD
Stardust	Naturale	33.5x33.5/45x45	NPD	R9	NPD
Stardust	Grip	33.5x33.5 (Crema-Grigio Chiaro)	U ≥ 0,40	R11	NPD
Stoneworks	Naturale	45x45/30x60	NPD	NPD	NPD
Stratos	Naturale	45x45/33.5x33.5	NPD	NPD	NPD
Trachite	Naturale	45x45/33.5x33.5	NPD	NPD	NPD
Arno	Naturale	33.5x33.5	NPD	NPD	NPD
Camargue	Naturale	33.5x33.5	NPD	NPD	NPD
Castelli	Naturale	33.5x33.5	NPD	NPD	NPD
Cotto Antico	Naturale	33.5x33.5	NPD	NPD	NPD
Easy Emotion	Naturale	33.5x33.5	NPD	NPD	NPD
Retrò	Naturale	33.5x33.5	NPD	NPD	NPD
Sforza	Naturale	33.5x33.5	NPD	NPD	NPD
Arenite	Grip	33.5x33.5/30x60	U ≥ 0,40	R11	NPD
Firenzuola	Naturale	30x60	U ≥ 0,40	NPD	NPD
Petra	Grip	33.5x33.5/30x60	U ≥ 0,40	R11	NPD
Porfirite	Naturale	30x60	U ≥ 0,40	R10	NPD
Quarzite	Naturale	30x60	U ≥ 0,40	R10	NPD
Silverstone	Naturale	30x60	NPD	R9	NPD



Opera Group srl

Uffici e Sala Mostra

41053 Maranello -loc.Bell'Italia (Mo)- Via Martinella,74 – ITALY

Tel centralino +39 0536.934811 – Fax +39 0536.934819

E-mail info@ceramicaopera.it

Sito Web www.ceramicaopera.it

Stabilimento

41100 Camposanto (Mo) – Polo industriale S.felice s/Panaro – Via Ponte Bianco,22

Silverstone Grip	Grip	30x60	U ≥ 0,40	R11	NPD
Assisi	Grip	33.5X33.5	U ≥ 0,40	R11	NPD
Fiumi	Naturale	33.5X33.5	U ≥ 0,40	NPD	NPD
Portico	Grip	33.5X33.5	U ≥ 0,40	R11	NPD
Navona	Grip	33.5X33.5	U ≥ 0,40	R11	NPD
Minerali	Naturale	33.5X33.5	NPD	NPD	NPD
Shadow	Naturale	45X45/30X60/60X60/60X120	NPD	R10	NPD
Grace	Naturale	30X60/60X60/60X120	NPD	NPD	NPD
Greystone	Naturale	30X60/60X60/60X120	NPD	R10	DRY 45 WET 29
Hungar	Naturale	45X45/30X60/60X60	NPD	R10	NPD
Urban	Naturale	30X60/60X60	NPD	R10	NPD
Urban Grip	Grip	30X60	U ≥ 0,40	R11	NPD
Avant Garde	Naturale	30X60/60X60	NPD	NPD	NPD
Rock	Naturale	30X60/60X60	NPD	NPD	NPD
Barrique	Naturale	15X90	NPD	R10	NPD
Barrique Grip	Grip	15X90	U ≥ 0,40	R11	NPD
Couture	Naturale	15X90	NPD	R10	NPD
Couture Grip	Grip	15X90	U ≥ 0,40	R11	NPD
Re Live	Naturale	30X60/60X60/90X90/60X120	NPD	R10	NPD
Cross	Naturale	30X60/60X60/60X120	NPD	R10	DRY 63 WET 50
Over	Naturale	30X60/60X60/90X90/60X120	NPD	R10	NPD
Song	Naturale	20X120	NPD	R9	NPD
Bond st.	Naturale	30X60/60X60/90X90/60X120	NPD	R10	NPD
Moble	Naturale	30X60/60X60/60X120	NPD	NPD	NPD
Palissandro	Naturale	30X60/60X120	NPD	NPD	NPD
San Diego	Naturale	45X45/60X60/90x90	NPD	R9	NPD
San Diego	Grip	45x45/60x60 (La Jolla/Coronado)	U ≥ 0,40	R11	NPD
Ultra	Naturale	30X60/60X60/60X120	NPD	R10	NPD
Urbino	Naturale	20x120/30X120/60X120/30x60	NPD	R10	NPD
Geologica	Naturale	30X60/60X60/60X120	NPD	R10	NPD
Oxyd	Naturale	30X60/60X60/90X90/60X120	NPD	R10	NPD
Versilia	Naturale	30x60/60x60	NPD	NPD	NPD
Abete	Naturale	30x60	NPD	NPD	NPD
Missouri	Naturale	30x60	NPD	NPD	NPD
Madeira	Naturale	30x60	NPD	NPD	NPD
Betulla	Naturale	30x60/20x120	NPD	NPD	NPD
Seba	Naturale	30x60/20x120	NPD	NPD	NPD
Foresta	Naturale	15x60	NPD	NPD	NPD
Reni	Naturale	30x60/60x60	NPD	NPD	NPD
West Oak	Naturale	15x90	NPD	NPD	NPD
Sondrio	Naturale	30X60/60X60/60X120	NPD	R10	NPD
Recon	Naturale	60x60	NPD	NPD	NPD
Materia	Naturale	30X60/60X60/60X120	NPD	R10	NPD
Romi	naturale	15x60	NPD	NPD	NPD

**Opera Group srl****Uffici e Sala Mostra**

41053 Maranello –loc.Bell'Italia (Mo)- Via Martinella,74 – ITALY

Tel centralino +39 0536.934811 – Fax +39 0536.934819

E-mail info@ceramicaopera.itSito Web www.ceramicaopera.it**Stabilimento**

41100 Camposanto (Mo) – Polo industriale S.felice s/Panaro – Via Ponte Bianco,22

Melfi	naturale	15x90	NPD	NPD	NPD
Teak	Naturale	30x60	NPD	NPD	NPD
Metallica	Naturale	30x60/60x60/20x120/60x120	NPD	R10	NPD
Palladiana	Naturale	30x60/60x60/60x120/90x90	NPD	R10	NPD
Palladiana	Grip	60x60 (Bianco/Tortora/Grigio)	U ≥ 0,40	R11	NPD
Essential	Naturale	20x120/30x120	NPD	R9	NPD
Essential	Grip	20x120/30x120	U ≥ 0,40	R11	NPD
Chalk	Naturale	20x120/30x60/60x60/90x90/60x120	NPD	R10	NPD
Ikon	Naturale	30x60/60x60/60x120/90x90	NPD	R10	NPD
Vision	Naturale	20x120/30x60/40x120/60x120/60x60/90x90	NPD	R10	NPD
Tutte le altre serie All the other collections Alle anderen Serien Todas las otras series	----	----	NPD	NPD	NPD



Opera Group srl

Uffici e Sala Mostra

41053 Maranello -loc.Bell'Italia (Mo)- Via Martinella,74 – ITALY

Tel centralino +39 0536.934811 – Fax +39 0536.934819

E-mail info@ceramicaopera.it

Sito Web www.ceramicaopera.it

Stabilimento

41100 Camposanto (Mo) – Polo industriale S.felice s/Panaro – Via Ponte Bianco,22

CE

OPERA GROUP s.r.l.

Via Martinell,74 - 41053 Maranello (MO)

Cod.Fisc./P.IVA 02860070362

Tel.++39 0536 934811-Fax: ++39 0536 934820

05

01OPR

EN 14411:2012

**Dry-pressed ceramic tiles, with water absorption $E_b \leq 0,5\%$,
for internal and external walls and floorings**

OPERA

GROUP S.r.l.

Via Martinella, 74 - 41053 Maranello (MO)

C.F./P.IVA 02860070362

Tel. ++39 0536 934811 Fax ++39 0536 934820